

U.S. Application No. 10/089,430
Reply to Office Action dated June 27, 2006

RECEIVED
CENTRAL FAX CENTER

PATENT
450108-03399

AUG. 28 2006

IN THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application. An identifier indicating the status of each claim is provided.

Listing of Claims

1. (Currently Amended) A digital audio signal processing method for converting a digital audio signal, comprising:
 - a step of cutting parts out of the digital audio signal by plural windows having different sizes and calculating their respective self correlation coefficients;
 - a step of classifying the parts into a class based on the calculation results of the self correlation coefficients;
 - a step of selecting a prediction method corresponding to the obtained class; and
 - a step of generating a new digital audio signal which is obtained by the digital audio signal, by prediction-operating the digital audio signal by ~~a~~ the selected prediction method corresponding to the obtained class.
2. (Currently Amended) The digital audio signal processing method as defined in claim 1,
 - wherein in said step of calculating self correlation coefficients, at least a general searching range and a local searching range are provided as targets for calculating the self correlation coefficients with respect to the digital audio signal, and the self correlation coefficients are calculated based on the searching ranges.

U.S. Application No. 10/089,430
Reply to Office Action dated June 27, 2006

PATENT
450108-03399

3. (Canceled)

4. (Currently Amended) A digital audio signal processing device for converting a digital audio signal, comprising:

self correlation coefficient calculation means for cutting parts out of the digital audio signal by plural windows having different sizes and calculating their respective self correlation coefficients;

class-classification means for classifying the parts into a class based on the calculation results of the self correlation coefficients;

selecting means for selecting a prediction method corresponding to the obtained class; and

prediction calculation means for generating a new digital audio signal which is obtained by converting the digital audio signal, by prediction-operating the digital audio signal by ~~a~~ the selected prediction method corresponding to the obtained class.

5. (Currently Amended) The digital audio signal processing device as defined in claim 4,

wherein said self correlation coefficient calculation means is provided with at least a general searching range and a local searching range as targets for calculating the self correlation coefficients with respect to the digital audio signal, and calculates the self correlation coefficients based on the searching ranges.

U.S. Application No. 10/089,430
Reply to Office Action dated June 27, 2006

PATENT
450108-03399

6. (Canceled)

7. (Currently Amended) A program storage medium for making a digital audio signal processing device execute a program including:

a step of cutting parts out of the digital audio signal by plural windows having different sizes and calculating their respective self correlation coefficients;

a step of classifying the parts into a class based on the calculation results of the self correlation coefficients;

a step of selecting a prediction method corresponding to the obtained class; and

a step of generating a new digital audio signal that is obtained by converting the digital audio signal, by prediction-operating the digital audio signal by ~~a~~ the selected prediction method corresponding to the obtained class.

8. (Currently Amended) The program storage medium as defined in claim 7, wherein in said step of calculating self correlation coefficients, at least a general searching range and a local searching range are provided as targets for calculating the self correlation coefficients with respect to the digital audio signal and the self correlation coefficients are calculated based on the searching ranges.

9. (Canceled)

U.S. Application No. 10/089,430
Reply to Office Action dated June 27, 2006

PATENT
450108-03399

10. (Currently Amended) A learning method for generating prediction coefficients which are used for prediction calculation of conversion processing by a digital signal processing device for converting a digital audio signal, said learning method comprising:

a step of generating, from a desired digital audio signal, a student digital audio signal in which the digital audio signal is degraded;

a step of cutting parts out of the student digital audio signal by plural windows having different sizes and calculating their respective self correlation coefficients;

a step of classifying the parts into a class based on the calculation results of the self correlation coefficients; and

a step of calculating prediction coefficients corresponding to the class based on the digital audio signal and the student digital audio signal; and

a step of storing the prediction coefficients associated with each class.

11. (Original) The learning method as defined in claim 10, wherein in said step of calculating self correlation coefficients, at least a general search range and a local search range are provided as targets for calculating targets of the self correlation coefficients, and the self correlation coefficients are calculated based on the searching ranges.

12. (Canceled)

U.S. Application No. 10/089,430
Reply to Office Action dated June 27, 2006

PATENT
450108-03399

13. (Currently Amended) A learning device for generating prediction coefficients which are used for prediction calculation of conversion processing by a digital signal processing device for converting a digital audio signal, said learning device comprising:

student digital signal processing means for generating, from a desired digital audio signal, a student digital audio signal in which the digital signal is degraded;

self correlation coefficient calculation means for cutting parts out from the student digital audio signal by multiple windows having different sizes and calculating their respective self correlation coefficients;

class-classification means for classifying the parts into a class based on the calculation results of the self correlation coefficients; and

prediction coefficient calculation means for calculating prediction coefficients corresponding to the class based on the digital audio signal and the student digital audio signal; and

storage means for storing the prediction coefficients associated with each class.

14. (Currently Amended) The learning device as defined in claim 13, wherein said self correlation coefficient calculation means is provided with at least a general searching range and a local searching range with respect to the digital audio signal as targets for calculating the self correlation coefficients and calculates the self correlation coefficients based on the searching ranges.

15. (Canceled)

U.S. Application No. 10/089,430
Reply to Office Action dated June 27, 2006

PATENT
450108-03399

16. (Currently Amended) A program storage medium to make a learning device execute a program including:

a step of generating, from a desired digital audio signal, a student digital audio signal in which the digital audio signal is degraded;

a step of cutting parts out of the student digital audio signal by plural windows having different sizes and calculating their respective correlation coefficients;

a step of classifying the parts into a class based on the calculation results of the self correlation coefficients; ~~and~~

a step of calculating the prediction coefficients corresponding to the class based on the digital audio signal and the student digital audio signal; and

a step of storing the prediction coefficients associated with each class.

17. (Currently Amended) The program storage medium as defined in claim 16, wherein in said step of calculating self correlation coefficients, at least a general searching range and local searching range are provided with respect to the digital audio signal as calculation targets of the self correlation coefficients and the self correlation coefficients are calculated based on the searching ranges.

18. (Canceled)